


Steel boxes

Square outlet boxes (medium)


Standard type



Cat. No.	Size (H) (mm)	Knock Out	Weight (kg)
DS3744	44	16 (19) 22 (25)	0.30
DS3754	54	22 (25) 28 (31)	0.35

Square outlet boxes (large)


Standard type



Cat. No.	Size (H) (mm)	Knock Out	Weight (kg)
DS3844	44	16 (19) 22 (25)	0.40
DS3854	54	22 (25) 28 (31)	0.45

Switch boxes (with cover)


For 1 switch



Cat. No.	Size (H) (mm)	Knock Out	Weight (kg)
DS4911	44	16 (19) 22 (25)	0.32

Switch boxes (with cover)


For 2 switch



Cat. No.	Size (H) (mm)	Knock Out	Weight (kg)
DS4912	44	16 (19) 22 (25)	0.56

Switch boxes (with cover)


For 3 switch



Cat. No.	Size (H) (mm)	Knock Out	Weight (kg)
DS4913	44	16 (19) 22 (25)	0.70

Switch boxes (with cover)


For 4 switch



Cat. No.	Size (H) (mm)	Knock Out	Weight (kg)
DS4914	54	16 (19) 22 (25)	1.0

Switch boxes (with cover)


For 5 switch



Cat. No.	Size (H) (mm)	Knock Out	Weight (kg)
DS4915	54	16 (19) 22 (25) 28 (31)	1.1

Switch boxes (with cover)


For 6 switch



Cat. No.	Size (H) (mm)	Knock Out	Weight (kg)
DS4916	54	16 (19) 22 (25)	1.34

Octagonal concrete boxes





Sides; knock out 16(19)




Cat. No.	Size (H) (mm)	Knock Out	Weight (kg)
DS36761	76	16 (19)	0.50

JIS Box cover plates


Cover type and uses

Name	Uses	Screw interval dimension
Blank cover	Used as a cover when a lighting fixture or switch is not installed.	
Round-opening cover	Used as a lighting fixture or telephone wire plate. Choice of three heights, standart 13mm, 5mm or flat cover, to adjust surface height.	
Fixture cover		
Switch cover		



Square flat cover


For medium square outlet box o square concrete box



Cat. No.	Weight (kg)
DS4211	0.14

Round opening covers


- For medium square outlet box or square concrete box
- Steel sheet zinc-electroplated



Cat. No.	Type	H	Weight (kg)
DS4311	13mm cover	13	0.10
DS43112	Flat cover	1.6	0.09

Round opening covers


- For large square outlet box or square concrete box
- Steel sheet zinc-electroplated



Cat. No.	Type	H	Weight (kg)
DS4412	13mm cover	13	0.11

Rectangular opening cover


- For medium square outlet box or square concrete box
- Steel sheet zinc-electroplated



Cat. No.	Type	H	Weight (kg)
DS4511	13mm cover	13	0.12
DS45112	Flate cover	1.6	0.11

Round opening covers


- For octagonal concrete box
- Steel sheet zinc-electroplated



Cat. No.	Type	H	Weight (kg)
DS4513	13mm cover	13	0.10

Switch cover for 1 switch


- Steel sheet zinc-electroplated



Cat. No.	Type	H	Weight (kg)
DS4611	13mm cover	13	0.10
DS46115	5mm cover	6.6	0.10

Switch cover for 1 switch


- Steel sheet zinc-electroplated



Cat. No.	Type	H	Weight (kg)
DS4612	13mm cover	13	0.15

Switch cover for octagonal concrete box (1 switch)

- Steel sheet zinc-electroplated



Cat. No.	Type	H	Weight (kg)
DS4613	13mm cover	13	0.07